This table correlates the updated AP<sup>®</sup> Environmental Science course framework to the sections of this text.

## Unit 1: The Living World: Ecosystems

Big Idea 1: (ENG) Energy Transfer; Big Idea 2: (ERT) Interactions Between Earth Systems

| Торіс  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
| <b>1.1:</b><br>Introduction to<br>Ecosystems | <b>ERT-1:</b> Ecosystems are the result of biotic and abiotic interactions.                                 | <b>ERT 1.A.1:</b> In a predator–prey relationship, the predator is an organism that eats another organism (the prey).  | 2.4                |
|  | <b>ERT-1.A:</b> Explain how the availability of resources influences species interactions.                  | <b>ERT 1.A.2:</b> Symbiosis is a close and long-term inter-<br>action between two species in an ecosystem. Types<br>of symbiosis include mutualism, commensalism, and<br>parasitism.   | 2.4                |
|  |   | <b>ERT-1.A.3:</b> Competition can occur within or between species in an ecosystem where there are limited resources. Resource partitioning—using the resources in different ways, places, or at different times—can reduce the negative impact of competition on survival. | 2.4                |
| <b>1.2:</b><br>Terrestrial<br>Biomes         | <b>ERT-1:</b> Ecosystems are the result of biotic and abiotic interactions.                                 | <b>ERT-1.B.1:</b> A biome contains characteristic communities of plants and animals that result from, and are adapted to, its climate.   | 5.2                |
|  | <b>ERT-1.B:</b> Describe the global distribution and principal environmental aspects of terrestrial biomes. | <b>ERT-1.B.2:</b> Major terrestrial biomes include taiga, temperate rainforests, temperate seasonal forests, tropical rainforests, shrubland, temperate grassland, savanna, desert, and tundra.  | 3.1                |
|  |   | <b>ERT-1.B.3:</b> The global distribution of nonmineral terrestrial natural resources, such as water and trees for lumber, varies because of some combination of climate, geography, latitude and altitude, nutrient availability, and soil.                               | 5.2                |
|  |   | <b>ERT-1.B.4:</b> The worldwide distribution of biomes is dynamic; the distribution has changed in the past and may again shift as a result of global climate changes.   | 3.1, 6.3           |
| <b>1.3:</b> Aquatic Biomes                   | <b>ERT-1:</b> Ecosystems are the result of biotic and abiotic interactions.                                 | <b>ERT-1.C.1:</b> Freshwater biomes include streams, rivers, ponds, and lakes. These freshwater biomes are a vital resource for drinking water.  | 4.4                |
|  | <b>ERT-1.C:</b> Describe the global distribution and principal environmental aspects of aquatic biomes.     | <b>ERT-1.C.2:</b> Marine biomes include oceans, coral reefs, marshland, and estuaries. Algae in marine biomes supply a large portion of the Earth's oxygen, and also take in carbon dioxide from the atmosphere.   | 4.1–4.2            |
|  |   | <b>ERT-1.C.3:</b> The global distribution of nonmineral marine natural resources, such as different types of fish, varies because of some combination of salinity, depth, turbidity, nutrient availability, and temperature.   | 4.1–4.2            |

| Торіс                                     | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge  | Text<br>Section(s) |
|---|--|--|--------------------|
| <b>1.4:</b><br>The Carbon<br>Cycle        | <b>ERT-1:</b> Ecosystems are the result of biotic and abiotic interactions.  | <b>ERT-1.D.1:</b> The carbon cycle is the movement of atoms and molecules containing the element carbon between sources and sinks.   | 2.4                |
|   | <b>ERT-1.D:</b> Explain the steps and reservoir interactions in the carbon cycle.  | <b>ERT-1.D.2:</b> Some of the reservoirs in which carbon compounds occur in the carbon cycle hold those compounds for long periods of time, while some hold them for relatively short periods of time.   | 2.5                |
|   |  | <b>ERT-1.D.3:</b> Carbon cycles between photosynthesis and cellular respiration in living things.  | 2.5                |
|   |  | <b>ERT-1.D.4:</b> Plant and animal decomposition have led to the storage of carbon over millions of years. The burning of fossil fuels quickly moves that stored carbon into atmospheric carbon, in the form of carbon dioxide   | 2.5                |
| <b>1.5:</b><br>The Nitrogen<br>Cycle      | <ul> <li>ERT-1: Ecosystems are the result of biotic and abiotic interactions.</li> <li>ERT-1.E: Explain the steps and reservoir interactions in the nitrogen cycle.</li> </ul> | <b>ERT-1.E.1:</b> The nitrogen cycle is the movement of atoms and molecules containing the element nitrogen between sources and sinks.   | 2.5                |
|   |  | <b>ERT-1.E.2:</b> Most of the reservoirs in which nitrogen compounds occur in the nitrogen cycle hold those compounds for relatively short periods of time.  | 2.5                |
|   |  | <b>ERT-1.E.3:</b> Nitrogen fixation is the process in which atmospheric nitrogen is converted into a form of nitrogen (primarily ammonia) that is available for uptake by plants and that can be synthesized into plant tissue.  | 2.5                |
|   |  | <b>ERT-1.E.4:</b> The atmosphere is the major reservoir of nitrogen.   | 2.5                |
| <b>1.6:</b><br>The Phospho-<br>rous Cycle | <b>ERT-1:</b> Ecosystems are the result of biotic and abiotic interactions.  | <b>ERT-1.F.1:</b> The phosphorus cycle is the movement of atoms and molecules containing the element phosphorus between sources and sinks.   | 2.5                |
|   | <b>ERT-1.F:</b> Explain the steps and reservoir interactions in the phosphorus cycle.  | <b>ERT-1.F.2:</b> The major reservoirs of phosphorus in the phosphorus cycle are rock and sediments that contain phosphorus-bearing minerals.  | 2.5                |
|   |  | <b>ERT-1.F.3:</b> There is no atmospheric component in the phosphorus cycle, and the limitations this imposes on the return of phosphorus from the ocean to land makes phosphorus naturally scarce in aquatic and many terrestrial ecosystems. In undisturbed ecosystems, phosphorus is the limiting factor in biological systems. | 2.5                |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
| <b>1.7:</b><br>The Hydrologic<br>(Water) Cycle | <ul><li>ERT-1: Ecosystems are the result of biotic and abiotic interactions.</li><li>ERT-1.G: Explain the steps and</li></ul>             | <b>ERT-1.G.1:</b> The hydrologic cycle, which is powered by the sun, is the movement of water in its various solid, liquid, and gaseous phases between sources and sinks.  | 2.5                |
|  | reservoir interactions in the hydro-<br>logic cycle.  | <b>ERT-1.G.2:</b> The oceans are the primary reservoir of water at the Earth's surface, with ice caps and groundwater acting as much smaller reservoirs.   | 2.5                |
| <b>1.8:</b><br>Primary<br>Productivity         | <b>ENG-1:</b> Energy is converted to usable forms.  | <b>ENG-1.A.1:</b> Primary productivity is the rate at which solar energy (sunlight) is converted into organic compounds via photosynthesis over a unit of time.  | 2.3                |
|  | <b>ENG-1.A:</b> Explain how solar energy is acquired and transferred by living  | <b>ENG-1.A.2:</b> Gross primary productivity is the total rate of photosynthesis in a given area.  | 2.3                |
|  | organisms.  | <b>ENG-1.A.3:</b> Net primary productivity is the rate of energy storage by photosynthesizers in a given area, after subtracting the energy lost to respiration.   | 2.3                |
|  |   | <b>ENG-1.A.4:</b> Productivity is measured in units of energy per unit area per unit time (e.g., kcal/m2/yr).  | 2.3                |
|  |   | <b>ENG-1.A.5:</b> Most red light is absorbed in the upper 1m of water, and blue light only penetrates deeper than 100m in the clearest water. This affects photosynthesis in aquatic ecosystems, whose photosynthesizers have adapted mechanisms to address the lack of visible light. | No reference       |
| <b>1.9:</b><br>Trophic Levels                  | <ul><li>ENG-1: Energy is converted to usable forms.</li><li>ENG-1.B: Explain how energy flows and matter cycles through trophic</li></ul> | <b>ENG-1.B.1:</b> All ecosystems depend on a continuous inflow of high-quality energy in order to maintain their structure and function of transferring matter between the environment and organisms via biogeochemical cycles.  | 2.2, 2.5           |
|  | levels  | <b>ENG-1.B.2:</b> Biogeochemical cycles are essential for life and each cycle demonstrates the conservation of matter.   | 2.2, 2.5           |
|  |   | <b>ENG-1.B.3:</b> In terrestrial and near-surface marine communities, energy flows from the sun to producers in the lowest trophic levels and then upward to higher trophic levels   | 2.3                |
| <b>1.10:</b><br>Energy Flow<br>and the         | <b>ENG-1:</b> Energy is converted to usable forms.  | <b>NG-1.C.1:</b> The 10% rule approximates that in the transfer of energy from one trophic level to the next, only about 10% of the energy is passed on.   | 2.3                |
| 10% Rule                                       | <b>ENG-1.C:</b> Determine how the energy decreases as it flows through ecosystems.  | <b>ENG-1.C.2:</b> The loss of energy that occurs when energy moves from lower to higher trophic levels can be explained through the laws of thermodynamics.  | 2.3                |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s) |
|--|--|---|--------------------|
| <b>1.11:</b><br>Food Chains<br>and Food Webs | <b>ENG-1:</b> Energy is converted to usable forms.   | <b>ENG-1.D.1:</b> A food web is a model of an interlocking pattern of food chains that depicts the flow of energy and nutrients in two or more food chains.   | 2.3                |
|  | <b>ENG-1.D:</b> Describe food chains and food webs, and their constituent members by trophic level | <b>ENG-1.D.2:</b> Positive and negative feedback loops can each play a role in food webs. When one species is removed from or added to a specific food web, the rest of the food web can be affected. | 1.4, 2.3           |

# Unit 2: The Living World: Biodiversity

Big Idea 2: (ERT) Interactions Between Earth Systems

| Торіс                                | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s) |
|--------------------------------------|--|---|--------------------|
| <b>2.1:</b> Introduction to          | <ul> <li>ERT-2: Ecosystems have structure and diversity that change over time.</li> <li>ERT-2.A: Explain levels of biodiversity and their importance to ecosystems.</li> </ul> | <b>ERT-2.A.1:</b> Biodiversity in an ecosystem includes genetic, species, and habitat diversity.  | 5.2                |
| Biodiversity                         |  | <b>ERT-2.A.2:</b> The more genetically diverse a population is, the better it can respond to environmental stressors. Additionally, a population bottleneck can lead to a loss of genetic diversity.                | 5.2                |
|                                      |  | <b>ERT-2.A.3:</b> Ecosystems that have a larger number of species are more likely to recover from disruptions.  | 5.2                |
|                                      |  | <b>ERT-2.A.4:</b> Loss of habitat leads to a loss of special-<br>ist species, followed by a loss of generalist species. It<br>also leads to reduced numbers of species that have<br>large territorial requirements. | 7.1                |
|                                      |  | <b>ERT-2.A.5:</b> Species richness refers to the number of different species found in an ecosystem.   | 5.2                |
| <b>2.2:</b><br>Ecosystem<br>Services | <b>ERT-2:</b> Ecosystems have structure<br>and diversity that change over time.<br><b>ERT-2.B:</b> Describe ecosystem<br>services.   | <b>ERT-2.B.1:</b> There are four categories of ecosystem services: provisioning, regulating, cultural, and supporting.  | No reference       |
|                                      | <b>ERT-2:</b> Ecosystems have structure and diversity that change over time.   | <b>ERT-2.C.1:</b> Anthropogenic activities can disrupt eco-<br>system services, potentially resulting in economic and<br>ecological consequences.   | 19.1               |
|                                      | <b>ERT-2.C:</b> Describe the results of human disruptions to ecosystem services.   |   |                    |

| Торіс   | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s) |
|---|--|---|--------------------|
| <b>2.3:</b><br>Island<br>Biogeography                 | <ul><li>ERT-2: Ecosystems have structure and diversity that change over time.</li><li>ERT-2.D: Describe island</li></ul>   | <b>ERT-2.D.1:</b> Island biogeography is the study of the ecological relationships and distribution of organisms on islands, and of these organisms' community structures.  | No reference       |
|   | biogeography.  | <b>ERT-2.D.2:</b> Islands have been colonized in the past by new species arriving from elsewhere.   | No reference       |
|   | <ul><li>ERT-2: Ecosystems have structure<br/>and diversity that change over time.</li><li>ERT-2.E: Describe the role of island<br/>biogeography in evolution.</li></ul>                      | <b>ERT-2.E.1:</b> Many island species have evolved to be specialists versus generalists because of the limited resources, such as food and territory, on most islands. The long-term survival of specialists may be jeopardized if and when invasive species, typically generalists, are introduced and outcompete the specialists. | 19.3               |
| <b>2.4:</b><br>Ecological<br>Tolerance                | <ul><li>ERT-2: Ecosystems have structure and diversity that change over time.</li><li>ERT-2.F: Describe ecological</li></ul>   | <b>ERT-2.F.1:</b> Ecological tolerance refers to the range of conditions, such as temperature, salinity, flow rate, and sunlight that an organism can endure before injury or death results.  | 7.2                |
|   | tolerance.   | <b>ERT-2.F.2:</b> Ecological tolerance can apply to individuals and to species.   | 7.2                |
| <b>2.5:</b><br>Natural<br>Disruption of<br>Ecosystems | <ul> <li>ERT-2: Ecosystems have structure and diversity that change over time.</li> <li>ERT-2.G: Explain how natural disruptions, both short- and long-term, impact an ecosystem.</li> </ul> | <b>ERT-2.G.1:</b> Natural disruptions to ecosystems have environmental consequences that may, for a given occurrence, be as great as, or greater than, many man-made disruptions.   | 20.2               |
|   |  | <b>ERT-2.G.2:</b> Earth system processes operate on a range of scales in terms of time. Processes can be periodic, episodic, or random.   | No reference       |
|   |  | <b>ERT-2.G.3:</b> Earth's climate has changed over geological time for many reasons.  | 20.2               |
|   |  | <b>ERT-2.G.4:</b> Sea level has varied significantly as a result of changes in the amount of glacial ice on Earth over geological time.   | 20.2, 20.3         |
|   |  | <b>ERT-2.G.5:</b> Major environmental change or upheaval commonly results in large swathes of habitat changes.  | 20.2               |
|   |  | <b>ERT-2.G.6:</b> Wildlife engages in both short- and long-term migration for a variety of reasons, including natural disruptions.  | No reference       |
| <b>2.6:</b><br>Adaptations                            | <b>ERT-2:</b> Ecosystems have structure and diversity that change over time.   | <b>ERT-2.H.1:</b> Organisms adapt to their environment over time, both in short- and long-term scales, via incremental changes at the genetic level.  | 6.1                |
|   | <b>ERT-2.H:</b> Describe how organisms adapt to their environment.   | <b>ERT-2.H.2:</b> Environmental changes, either sudden or gradual, may threaten a species' survival, requiring individuals to alter behaviors, move, or perish.   | 6.1                |

| Торіс                                   | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge  | Text<br>Section(s) |
|---|--|--|--------------------|
| <b>2.7:</b><br>Ecological<br>Succession | <b>ERT-2:</b> Ecosystems have structure and diversity that change over time.   | <b>ERT-2.I.1:</b> There are two main types of ecological succession: primary succession and secondary succession.  | 6.3                |
|   | <b>ERT-2.I:</b> Describe ecological succession.  | <b>ERT-2.I.2:</b> A keystone species in an ecosystem is a species whose activities have a particularly significant role in determining community structure.  | 7.1                |
|   |  | <b>ERT-2.I.3:</b> An indicator species is a plant or animal that, by its presence, abundance, scarcity, or chemical composition, demonstrates that some distinctive aspect of the character or quality of an ecosystem is present. | 7.1                |
|   | <b>ERT-2:</b> Ecosystems have structure<br>and diversity that change over time.<br><b>ERT-2.J:</b> Describe the effect of eco- | <b>ERT-2.J.1:</b> Pioneer members of an early successional species commonly move into unoccupied habitat and over time adapt to its particular conditions, which may result in the origin of new species.                          | 6.3                |
|   | logical succession on ecosystems.  | <b>ERT-2.J.2:</b> Succession in a disturbed ecosystem will affect the total biomass, species richness, and net productivity over time.   | 6.3                |

### **Unit 3: Populations**

**Big Idea 2:** (ERT) Interactions Between Earth Systems; **Big Idea 3**: (EIN) Interactions Between Different Species and the Environment

| Торіс  | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s) |
|--|--|---|--------------------|
| <b>3.1:</b><br>Generalist<br>and Specialist<br>Species                 | <ul> <li>ERT-3: Populations change over time in reaction to a variety of factors.</li> <li>ERT-3.A: Identify differences between generalist and specialist species.</li> </ul>       | <b>ERT-3.A.1:</b> Specialist species tend to be advantaged in habitats that remain constant, while generalist species tend to be advantaged in habitats that are changing.  | 7.1                |
| <b>3.2:</b><br><i>K</i> -selected<br>and <i>r</i> -selected<br>species | <ul> <li>ERT-3: Populations change over time in reaction to a variety of factors.</li> <li>ERT-3.B: Identify differences between <i>K</i>- and <i>r</i>-selected species.</li> </ul> | <b>ERT-3.B.1:</b> <i>K</i> -selected species tend to be large, have few offspring per reproduction event, live in stable environments, expend significant energy for each offspring, mature after many years of extended youth and parental care, have long life spans/life expectancy, and reproduce more than once in their lifetime. Competition for resources in <i>K</i> -selected species' habitats is usually relatively high. | 7.2                |

| Торіс   | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s) |
|---|--|---|--------------------|
|   |  | <b>ERT-3.B.2:</b> <i>r</i> -selected species tend to be small, have many offspring, expend or invest minimal energy for each offspring, mature early, have short life spans, and may reproduce only once in their life-time. Competition for resources in <i>r</i> -selected species' habitats is typically relatively low. | 7.2                |
|   |  | <b>ERT-3.B.3:</b> Biotic potential refers to the maximum reproductive rate of a population in ideal conditions.   | No reference       |
|   |  | <b>ERT-3.B.4:</b> Many species have reproductive strategies that are not uniquely <i>r</i> -selected or <i>K</i> -selected, or they change in different conditions at different times.  | 7.2                |
|   |  | <b>ERT-3.B.5:</b> <i>K</i> -selected species are typically more adversely affected by invasive species than <i>r</i> -selected species, which are typically little affected by invasive species. Most invasive species are <i>r</i> -selected species.  | 7.2                |
| <b>3.3:</b><br>Survivorship<br>Curves                               | <ul><li>ERT-3: Populations change over time in reaction to a variety of factors.</li><li>ERT-3.C: Explain survivorship curves.</li></ul> | <b>ERT-3.C.1:</b> A survivorship curve is a line that displays the relative survival rates of a cohort—a group of individuals of the same age—in a population, from birth to the maximum age reached by any one cohort member. There are Type I, Type II, and Type III curves.  | 7.2                |
|   |  | <b>ERT-3.C.2:</b> Survivorship curves differ for <i>K</i> -selected and <i>r</i> -selected species, with <i>K</i> -selected species typically following a Type I or Type II curve and <i>r</i> -selected species following a Type III curve.  | 7.2                |
| <b>3.4:</b><br>Carrying<br>Capacity                                 | <ul><li>ERT-3: Populations change over time in reaction to a variety of factors.</li><li>ERT-3.D: Describe carrying capacity.</li></ul>  | <b>ERT-3.D.1:</b> When a population exceeds its carrying capacity (carrying capacity can be denoted as K), overshoot occurs. There are environmental impacts of population overshoot, including resource depletion.   | 7.2                |
|   | <ul><li>ERT-3: Populations change over time in reaction to a variety of factors.</li><li>ERT-3.E: Describe the impact of</li></ul>       | <b>ERT-3.E.1:</b> A major ecological effect of population overshoot is dieback of the population (often severe to catastrophic), because the lack of available resources leads to famine, disease, and/or conflict.   | 7.2                |
| <b>3.5:</b><br>Population<br>Growth and<br>Resource<br>Availability | carrying capacity on ecosystems.ERT-3: Populations change over<br>time in reaction to a variety of<br>factors.                           | <b>ERT-3.F.1:</b> Population growth is limited by environ-<br>mental factors, especially by the available resources<br>and space.   | 7.2                |
|   | <b>ERT-3.F:</b> Explain how resource availability affects population growth.   | <b>ERT-3.F.2:</b> Resource availability and the total resource base is limited and finite over all scales of time.  | 7.2                |

| Торіс   | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|---|---|--|--------------------|
|   |   | <b>ERT-3.F.3:</b> When the resources needed by a population for growth are abundant, population growth usually accelerates.  | 7.2                |
|   |   | <b>ERT-3.F.4:</b> When the resource base of a population shrinks, the increased potential for unequal distribution of resources will ultimately result in increased mortality, decreased fecundity, or both, resulting in population growth declining to, or below, carrying capacity. | 7.2                |
| <b>3.6:</b><br>Age Structure<br>Diagrams      | <b>EIN-1:</b> Human populations change in reaction to a variety of factors, including social and cultural factors.  | <b>EIN-1.A.1:</b> Population growth rates can be interpreted from age structure diagrams by the shape of the structure.  | 7.5                |
|   | <b>EIN-1.A:</b> Explain age structure diagrams.   | <b>EIN-1.A.2:</b> A rapidly growing population will, as a rule, have a higher proportion of younger people compared to stable or declining populations.  | 7.5                |
| <b>3.7:</b><br>Total Fertility<br>Rate        | <b>EIN-1:</b> Human populations change in reaction to a variety of factors, including social and cultural factors.  | <b>EIN-1.B.1:</b> Total fertility rate (TFR) is affected by the age at which females have their first child, educational opportunities for females, access to family planning, and government acts and policies.   | 7.4                |
|   | <b>EIN-1.B:</b> Explain factors that affect total fertility rate in human   | <b>EIN-1.B.2:</b> If fertility rate is at replacement levels, a population is considered relatively stable.  | 7.4                |
|   | populations.  | <b>EIN-1.B.3:</b> Factors associated with infant mortality rates include whether mothers have access to good healthcare and nutrition. Changes in these factors can lead to changes in infant mortality rates over time.   | 7.4                |
| <b>3.8:</b><br>Human Popula-<br>tion Dynamics | <b>EIN-1:</b> Human populations change<br>in reaction to a variety of factors,<br>including social and cultural factors.<br><b>EIN-1.C.1:</b> Explain how human | <b>EIN-1.C.1:</b> Birth rates, infant mortality rates, and overall death rates, access to family planning, access to good nutrition, access to education, and postponement of marriage all affect whether a human population is growing or declining.                                  | 7.4                |
|   | populations experience growth and decline.  | <b>EIN-1.C.2:</b> Factors limiting global human population include the Earth's carrying capacity and the basic factors that limit human population growth as set forth by Malthusian Theory.   | No reference       |
|   |   | <b>EIN-1.C.3:</b> Population growth can be affected both by density-independent factors such as major storms, fires, heat waves, or droughts, and density dependent factors such as access to clean water and air, food availability, disease transmission, or territory size.         | 7.2                |
|   |   | <b>EIN-1.C.4:</b> The rule of 70 states that dividing the number 70 by the percentage population growth rate approximates the population's doubling time.  | 9.3                |

| Торіс                                    | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge   | Text<br>Section(s) |
|--|---|---|--------------------|
| <b>3.9:</b><br>Demographic<br>Transition | <ul><li>EIN-1: Human populations change in reaction to a variety of factors, including social and cultural factors.</li><li>EIN-1.D: Define the demographic transition.</li></ul> | <b>EIN-1.D.1:</b> The demographic transition refers to the transition from high to lower birth and death rates in a country or region as development occurs and that country moves from a pre-industrial to an industrialized economic system. This transition is typically demonstrated through a four-stage demographic transition model (DTM). | 7.6                |
|  |   | <b>EIN-1.D.2:</b> Characteristics of developing countries include higher infant mortality rates and more children in the workforce than developed countries.  | 7.6                |

# Unit 4: Earth Systems and Resources

Big Idea 1: (ENG) Energy Transfer; Big Idea 2: (ERT) Interactions Between Earth Systems

| Торіс  | Enduring Understanding<br>and Learning Objective(s)                                | Essential Knowledge   | Text<br>Section(s) |
|--|--|---|--------------------|
| <b>4.1:</b> Plate Tectonics                            | <b>ERT-4:</b> Earth's systems interact, resulting in a state of balance over time. | <b>ERT-4.A.1:</b> Convergent boundaries can result in the creation of mountains, island arcs, earthquakes, and volcanoes.   | 8.1                |
|  | <b>ERT-4.A:</b> Describe the geological changes and events that occur at           | <b>ERT-4.A.2:</b> Divergent boundaries can result in seafloor spreading, rift valleys, volcanoes, and earthquakes.  | 8.1                |
|  | convergent, divergent, and trans-<br>form plate boundaries.                        | <b>ERT-4.A.3:</b> Transform boundaries can result in earthquakes.   | 8.1                |
|  |  | <b>ERT-4.A.4:</b> Maps that show the global distribution of plate boundaries can be used to determine the location of volcanoes, island arcs, earthquakes, hot spots, and faults.           | 8.1                |
|  |  | <b>ERT-4.A.5:</b> An earthquake occurs when stress over-<br>comes a locked fault, releasing stored energy.  | 8.1                |
| <b>4.2:</b> Soil Formation                             | <b>ERT-4:</b> Earth's systems interact, resulting in a state of balance over time. | <b>ERT-4.B.1:</b> Soils are formed when parent material is weathered, transported, and deposited.   | 8.2                |
| and Erosion  |  | <b>ERT-4.B.2:</b> Soils are generally categorized by horizons based on their composition and organic material.  | 8.2                |
|  | <b>ERT-4.B:</b> Describe the characteristics and formation of soil.                | <b>ERT-4.B.3:</b> Soils can be eroded by winds or humans.<br>Protecting soils can protect water quality as soils<br>effectively filter and clean water that moves through<br>them.          | 12.3               |
| <b>4.3:</b><br>Soil Compo-<br>sition and<br>Properties | <b>ERT-4:</b> Earth's systems interact, resulting in a state of balance over time. | <b>ERT-4.C.1:</b> Water holding capacity—the total amount of water soil can hold—varies with different soil types. Water retention contributes to land productivity and fertility of soils. | 8.2                |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
|  | <b>ERT-4.C:</b> Describe similarities and differences between properties of different soil types.   | <b>ERT-4.C.2:</b> The particle size and composition of each soil horizon can affect the porosity, permeability, and fertility of the soil.   | 8.2                |
|  |   | <b>ERT-4.C.3:</b> There are a variety of methods to test the chemical, physical, and biological properties of soil that can aid in a variety of decisions, such as irrigation and fertilizer requirements.                 | 8.2                |
|  |   | <b>ERT-4.C.4:</b> A soil texture triangle is a diagram that allows for the identification and comparison of soil types based on their percentage of clay, silt, and sand.  | No reference       |
| <b>4.4:</b><br>Earth's<br>Atmosphere                     | <b>ERT-4:</b> Earth's systems interact, resulting in a state of balance over time.  | <b>ERT-4.D.1:</b> The atmosphere is made up of major gases, each with its own relative abundance.  | 8.6                |
|  | <b>ERT-4.D:</b> Describe the structure and composition of the Earth's atmosphere.   | <b>ERT-4.D.2:</b> The layers of the atmosphere are based on temperature gradients and include the troposphere, stratosphere, mesosphere, thermosphere, and exosphere.  | 8.6                |
| <b>4.5:</b><br>Global Wind<br>Patterns                   | <ul> <li>ERT-4: Earth's systems interact, resulting in a state of balance over time.</li> <li>ERT-4.E: Explain how environmental factors can result in atmospheric</li> </ul> | <b>ERT-4.E.1:</b> Global wind patterns primarily result from the most intense solar radiation arriving at the equator, resulting in density differences and the Coriolis effect.   | 8.8                |
| <b>4.6:</b><br>Watersheds                                | circulation.<br>ERT-4: Earth's systems interact,<br>resulting in a state of balance over<br>time.<br>ERT-4.F: Describe the characteristics<br>of a watershed.                 | <b>ERT-4.F.1:</b> Characteristics of a given watershed include its area, length, slope, soil, vegetation types, and divides with adjoining watersheds.   | 8.3                |
| <b>4.7:</b><br>Solar Radiation<br>and Earth's<br>Seasons | <b>ENG-2:</b> Most of the Earth's atmospheric processes are driven by input of energy from the sun.   | <b>ENG-2.A.1:</b> Incoming solar radiation (insolation) is the Earth's main source of energy and is dependent on season and latitude.  | 8.8                |
|  | <b>ENG-2.A:</b> Explain how the Sun's energy affects the Earth's surface.   | <b>ENG-2.A.2:</b> The angle of the sun's rays determines the intensity of the solar radiation. Due to the shape of the Earth, the latitude that is directly horizontal to the solar radiation receives the most intensity. | 8.8                |
|  |   | <b>ENG-2.A.3:</b> The highest solar radiation per unit area is received at the equator and decreases toward the poles.   | 8.8                |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
|  |   | <b>ENG-2.A.4:</b> The solar radiation received at a location on the Earth's surface varies seasonally, with the most radiation received during the location's longest summer day and the least on the shortest winter day. | 8.8                |
|  |   | <b>ENG-2.A.5:</b> The tilt of Earth's axis of rotation causes the Earth's seasons and the number of hours of daylight in a particular location on the Earth's surface.   | 8.8                |
| <b>4.8:</b><br>Earth's<br>Geography and<br>Climate | <b>ENG-2:</b> Most of the Earth's atmospheric processes are driven by input of energy from the sun.   | <b>ENG-2.B.1:</b> Weather and climate are affected not only by the sun's energy but by geologic and geographic factors, such as mountains and ocean temperature.   | 8.8                |
|  | <b>ENG-2.B:</b> Describe how the Earth's geography affects weather and climate.   | <b>ENG-2.B.2:</b> A rain shadow is a region of land that has become drier because a higher elevation area blocks precipitation from reaching the land.   | 8.8                |
| <b>4.9:</b><br>El Niño and La<br>Niña              | <b>ENG-2:</b> Most of the Earth's atmo-<br>spheric processes are driven by<br>input of energy from the sun.<br><b>ENG-2.C:</b> Describe the environmental | <b>ENG-2.C.1:</b> El Niño and La Niña are phenomena associated with changing ocean surface temperatures in the Pacific Ocean. These phenomena can cause global changes to rainfall, wind, and ocean circulation patterns.  | 8.7                |
|  | changes and effects that result in El<br>Niño and La Niña events (El Niño–<br>Southern Oscillation).  | <b>ENG-2.C.2:</b> El Niño and La Niña are influenced by geological and geographic factors and can affect different locations in different ways.  | 8.7                |

#### Unit 5: Land and Water Use

Big Idea 3: (EIN) Interactions Between Different Species and the Environment; Big Idea 4: (STB) Sustainability

| Торіс  | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s)   |
|--|--|---|--|
| <b>5.1:</b><br>The Tragedy of<br>the Commons | <ul><li>EIN-2: When humans use natural resources they alter natural systems.</li><li>EIN-2.A: Explain the concept of the tragedy of the commons.</li></ul> | <b>EIN-2.A.1:</b> The tragedy of the commons suggests that individuals will use shared resources in their own self-interest rather than in keeping with the common good, thereby depleting the resources. | 9.3, Core<br>Case Study:<br>The Tragedy<br>of the<br>Commons |
| <b>5.2:</b><br>Clear Cutting                 | <b>EIN-2:</b> When humans use natural resources they alter natural systems.  | <b>EIN-2.B.1:</b> Clear cutting can be economically advan-<br>tageous but lead to soil erosion, increased soil and<br>stream temperatures, and flooding.  | 10.1   |
|  | <b>EIN-2.B:</b> Describe the effect of clear cutting on forests.   | <b>EIN-2.B.2:</b> Forests contain trees that absorb pollut-<br>ants and store carbon dioxide. The cutting and burn-<br>ing of trees releases carbon dioxide and contributes<br>to climate change.         | 10.1   |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
| <b>5.3:</b><br>The Green<br>Revolution                 | <b>EIN-2:</b> When humans use natural resources they alter natural systems.<br><b>EIN-2.C:</b> Describe changes in agricultural practices.                                  | <b>IN-2.C.1:</b> The Green Revolution started a shift to new agricultural strategies and practices in order to increase food production, with both positive and negative results. Some of these strategies and methods are mechanization, genetically modified organisms (GMOs), fertilization, irrigation, and the use of pesticides. | 12.2               |
|  |   | <b>EIN-2.C.2:</b> Mechanization of farming can increase profits and efficiency for farms. It can also increase reliance on fossil fuels.   | 12.2               |
| <b>5.4:</b><br>Impacts of<br>Agricultural<br>Practices | <ul> <li>EIN-2: When humans use natural resources they alter natural systems.</li> <li>EIN-2.D: Describe agricultural practices that cause environmental damage.</li> </ul> | <b>EIN-2.D.1:</b> Agricultural practices that can cause environmental damage include tilling, slash-and-burn farming, and the use of fertilizers.  | 12.3               |
| <b>5.5:</b><br>Irrigations                             | <b>EIN-2:</b> When humans use natural resources they alter natural systems.   | <b>EIN-2.E.1:</b> The largest human use of freshwater is for irrigation (70%).   | 8.3                |
| Methods  | <b>EIN-2.E:</b> Describe different methods of irrigation.   | <b>EIN-2.E.2:</b> Types of irrigation include drip irrigation, flood irrigation, furrow irrigation, and spray irrigation.  | 12.5               |
|  | <b>EIN-2:</b> When humans use natural resources they alter natural systems.<br><b>EIN-2.F:</b> Describe the benefits and  | <b>EIN-2.F.1:</b> Waterlogging occurs when too much water is left to sit in the soil, which raises the water table of groundwater and inhibits plants' ability to absorb oxygen through their roots.   | 12.3               |
|  | drawbacks of different methods of irrigation.   | <b>EIN-2.F.2:</b> Salinization occurs when the salts in groundwater remain in the soil after the water evaporates. Over time, salinization can make soil toxic to plants.  | 12.3               |
|  |   | <b>EIN-2.F.3:</b> Aquifers can be severely depleted if over-<br>used for agricultural irrigation, as has happened to<br>the Ogallala Aquifer in the central United States.   | 8.4                |
| <b>5.6:</b><br>Pest Control<br>Methods                 | <ul><li>EIN-2: When humans use natural resources they alter natural systems.</li><li>EIN-2.G: Describe the benefits and drawbacks of different methods of</li></ul>         | <b>EIN-2.G.1:</b> One consequence of using common pest-control methods such as pesticides, herbicides, fungicides, rodenticides, and insecticides is that organisms can become resistant to them through artificial selection.   | 12.4               |
|  | pest control.   | <b>EIN-2.G.2:</b> Crops can be genetically engineered to increase their resistance to pests and diseases. However, using genetically engineered crops in planting or other ways can lead to loss of genetic diversity of that particular crop.   | 12.2               |

| Торіс                                    | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
| <b>5.7:</b><br>Meat Production Methods   | <ul><li>EIN-2: When humans use natural resources they alter natural systems.</li><li>EIN-2.H: Identify different methods of meat production.</li></ul>  | <b>EIN-2.H.1:</b> Methods of meat production include concentrated animal feeding operations (CAFOs), also called feedlots, and free-range grazing.   | 12.2               |
|  | <ul><li>EIN-2: When humans use natural resources they alter natural systems.</li><li>EIN-2.I: Describe the benefits and</li></ul>   | <b>EIN-2.I.1:</b> Meat production is less efficient than agri-<br>culture; it takes approximately 20 times more land to<br>produce the same amount of calories from meat as<br>from plants.  | 12.3               |
|  | drawbacks of different methods of meat production.  | <b>EIN-2.1.2:</b> Overgrazing occurs when too many ani-<br>mals feed on a particular area of land. Overgrazing<br>causes loss of vegetation, which leads to soil erosion.  | 10.2               |
|  |   | <b>EIN-2.I.3:</b> Overgrazing can cause desertification. Desertification is the degradation of low precipitation regions toward being increasingly arid until they become deserts.   | No reference       |
|  |   | <b>EIN-2.1.4:</b> Less consumption of meat could reduce $CO_2$ , methane and $N_2O$ emissions, conserve water, reduce the use of antibiotics and growth hormones, and improve topsoil.   | 12.3               |
| <b>5.8:</b><br>Impacts of<br>Overfishing | <ul><li>EIN-2: When humans use natural resources they alter natural systems.</li><li>EIN-2.J: Describe causes of and problems related to overfishing</li></ul>                                  | <b>EIN-2.J.1:</b> Overfishing has led to the extreme scarcity of some fish species, which can lessen biodiversity in aquatic systems and harm people who depend on fishing for food and commerce.  | 12.2               |
| <b>5.9:</b><br>Impacts of<br>Mining      | <b>EIN-2:</b> When humans use natural resources they alter natural systems.<br><b>EIN-2.K:</b> Describe natural resource extraction through mining.   | <b>EIN-2.K.1:</b> As the more accessible ores are mined to depletion, mining operations are forced to access lower grade ores. Accessing these ores requires increased use of resources that can cause increased waste and pollution.  | 11.2               |
|  |   | <b>EIN-2.K.2:</b> Surface mining is the removal of large portions of soil and rock, called overburden, in order to access the ore underneath. An example is strip mining, which removes the vegetation from an area, making the area more susceptible to erosion.  | 11.5               |
|  | <ul><li>EIN-2: When humans use natural resources they alter natural systems.</li><li>EIN-2.L: Describe ecological and economic impacts of natural resource extraction through mining.</li></ul> | <b>EIN-2.L.1:</b> Mining wastes include the soil and rocks that are moved to gain access to the ore and the waste, called slag and tailings that remain when the minerals have been removed from the ore. The mining of coal can destroy habitats, contaminate ground water, and release dust particles and methane. | 11.5               |
|  |   | <b>EIN-2.L.2:</b> As coal reserves get smaller, due to a lack of easily accessible reserves, it becomes necessary to access coal through subsurface mining, which is very expensive.   | 11.5               |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge   | Text<br>Section(s) |
|--|---|---|--------------------|
| <b>5.10:</b><br>Impacts of<br>Urbanization           | <b>EIN-2:</b> When humans use natural resources they alter natural systems.   | <b>EIN-2.M.1:</b> Urbanization can lead to depletion of resources and saltwater intrusion in the hydrologic cycle.  | 12.9               |
|  | <b>EIN-2.M:</b> Describe the effects of urbanization on the environment   | <b>EIN-2.M.2:</b> Urbanization, through the burning of fossil fuels and landfills, affects the carbon cycle by increasing the amount of carbon dioxide in the atmosphere.   | 12.9               |
|  |   | <b>EIN-2.M.3:</b> Impervious surfaces are man-made structures—such as roads, buildings, sidewalks, and parking lots—that do not allow water to reach the soil, leading to flooding.   | 12.9               |
|  |   | <b>EIN-2.M.4:</b> Urban sprawl is the change in population distribution from high population density areas to low density suburbs that spread into rural lands, leading to potential environmental problems.  | 12.9               |
| <b>5.11:</b><br>Ecological<br>Footprints             | <b>EIN-2:</b> When humans use natural resources they alter natural systems.   | <b>EIN-2.N.1:</b> Ecological footprints compare resource demands and waste production required for an individual or a society.  | 9.2                |
|  | <b>EIN-2.N:</b> Explain the variables measured in an ecological footprint.  |   |                    |
| <b>5.12:</b><br>Introduction to<br>Sustainability    | <ul> <li>STB-1: Humans can mitigate their impact on land and water resources through sustainable use.</li> <li>STB-1.A: Explain the concept of sustainability.</li> </ul> | <b>STB-1.A.1:</b> Sustainability refers to humans living on Earth and their use of resources without depletion of the resources for future generations. Environmental indicators that can guide humans to sustainability include biological diversity, food production, average global surface temperatures and CO <sub>2</sub> concentrations, human population, and resource depletion. | 12.7               |
|  |   | <b>STB-1.A.2:</b> Sustainable yield is the amount of a renewable resource that can be taken without reducing the available supply.  | 9.1                |
| <b>5.13:</b><br>Methods to<br>Reduce Urban<br>Runoff | <ul><li>STB-1: Humans can mitigate their impact on land and water resources through sustainable use.</li><li>STB-1.B: Describe methods for</li></ul>                      | <b>STB-1.B.1:</b> Methods to increase water infiltration include replacing traditional pavement with permeable pavement, planting trees, increased use of public transportation, and building up, not out.  | 12.9               |
|  | mitigating problems related to urban runoff.  |   |                    |
| 5.14:<br>Integrated Pest<br>Management               | <b>STB-1:</b> Humans can mitigate their impact on land and water resources through sustainable use.<br><b>STB-1.C:</b> Describe integrated pest                           | <b>STB-1.C.1:</b> Integrated pest management (IPM) is a combination of methods used to effectively control pest species while minimizing the disruption to the environment. These methods include biological, physical, and limited chemical methods such as  | 12.4               |
|  | management.   | biocontrol, intercropping, crop rotation, and natural predators of the pests.   |                    |

| Торіс                                      | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
|  | <b>STB-1:</b> Humans can mitigate their impact on land and water resources through sustainable use.   | <b>STB-1.D.1:</b> The use of integrated pest management (IPM) reduces the risk that pesticides pose to wildlife, water supplies, and human health.   | 12.4               |
|  | <b>STB-1.D:</b> Describe the benefits and drawbacks of integrated pest management (IPM).  | <b>STB-1.D.2:</b> Integrated pest management (IPM) minimizes disruptions to the environment and threats to human health but can be complex and expensive.  | 12.4               |
| <b>5.15:</b><br>Sustainable<br>Agriculture | <ul> <li>STB-1: Humans can mitigate their impact on land and water resources through sustainable use.</li> <li>STB-1.E: Describe sustainable</li> </ul> | <b>STB-1.E.1:</b> The goal of soil conservation is to prevent soil erosion. Different methods of soil conservation include contour plowing, windbreaks, perennial crops, terracing, no-till agriculture, and strip cropping.               | 12.7               |
|  | agricultural and food production practices.   | <b>STB-1.E.2:</b> Strategies to improve soil fertility include crop rotation and the addition of green manure and limestone.   | 12.7               |
|  |   | <b>STB-1.E.3:</b> Rotational grazing is the regular rotation of livestock between different pastures in order to avoid overgrazing in a particular area.   | 10.2               |
| <b>5.16:</b><br>Aquaculture                | <b>STB-1:</b> Humans can mitigate their impact on land and water resources through sustainable use.   | <b>STB-1.F.1:</b> Aquaculture has expanded because it is highly efficient, requires only small areas of water, and requires little fuel.   | 12.2               |
|  | <b>STB-1.F:</b> Describe the benefits and drawbacks of aquaculture.   | <b>STB-1.F.2:</b> Aquaculture can contaminate wastewater, and fish that escape may compete or breed with wild fish. The density of fish in aquaculture can lead to increases in disease incidences, which can be transmitted to wild fish. | 12.3               |
| <b>5.17:</b><br>Sustainable<br>Forestry    | <b>STB-1:</b> Humans can mitigate their impact on land and water resources through sustainable use.   | <b>STB-1.G.1:</b> Some of the methods for mitigating deforestation include reforestation, using and buying wood harvested by ecologically sustainable forestry techniques, and reusing wood.   | 10.1               |
|  | <b>STB-1.G:</b> Describe methods for mitigating human impact on forests.  | <b>STB-1.G.2:</b> Methods to protect forests from pathogens and insects include integrated pest management (IPM) and the removal of affected trees.  | 12.4               |
|  |   | <b>STB-1.G.3:</b> Prescribed burn is a method by which forests are set on fire under controlled conditions in order to reduce the occurrence of natural fires.   | 10.1               |

### Unit 6: Energy Resources and Consumption

Big Idea 1: (ENG) Energy Transfer

| Торіс   | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge   | Text<br>Section(s) |
|---|---|---|--------------------|
| <b>6.1:</b><br>Renewable and<br>Nonrenewable<br>Resources | <ul> <li>ENG-3: Humans generate<br/>energy from a variety of sources,<br/>resulting in positive and negative<br/>consequences.</li> <li>ENG-3.A: Identify differences<br/>between nonrenewable and<br/>renewable energy sources.</li> </ul> | <b>ENG-3.A.1:</b> Nonrenewable energy sources are those that exist in a fixed amount and involve energy transformation that cannot be easily replaced.  | 13.1               |
|   |   | <b>ENG-3.A.2:</b> Renewable energy sources are those that can be replenished naturally, at or near the rate of consumption, and reused.   | 13.1               |
| <b>6.2:</b><br>Global Energy<br>Consumption               | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative  | <b>ENG-3.B.1:</b> The use of energy resources is not evenly distributed between developed and developing countries.   | 13.1               |
|   | consequences.   | <b>ENG-3.B.2:</b> The most widely used sources of energy globally are fossil fuels.   | 13.1               |
|   | <b>ENG-3.B:</b> Describe trends in energy consumption.  | <b>ENG-3.B.3:</b> As developing countries become more developed, their reliance on fossil fuels for energy increases.   | 13.2               |
|   |   | <b>ENG-3.B.4:</b> As the world becomes more industrial-<br>ized, the demand for energy increases.   | 13.1               |
|   |   | <b>ENG-3.B.5:</b> Availability, price, and governmental regulations influence which energy sources people use and how they use them.  | No reference       |
| <b>6.3:</b><br>Fuel Types and<br>Uses                     | <ul> <li>ENG-3: Humans generate<br/>energy from a variety of sources,<br/>resulting in positive and negative<br/>consequences.</li> <li>ENG-3.C: Identify types of fuels and<br/>their uses.</li> </ul>                                     | <b>ENG-3.C.1:</b> Wood is commonly used as fuel in the forms of firewood and charcoal. It is often used in developing countries because it is easily accessible.  | 14.6               |
|   |   | <b>ENG-3.C.2:</b> Peat is partially decomposed organic material that can be burned for fuel.  | 13.4               |
|   |   | <b>ENG-3.C.3:</b> Three types of coal used for fuel are lignite, bituminous, and anthracite. Heat, pressure, and depth of burial contribute to the development of various coal types and their qualities. | 13.4               |
|   |   | <b>ENG-3.C.4:</b> Natural gas, the cleanest of the fossil fuels, is mostly methane.   | 13.3               |
|   |   | <b>ENG-3.C.5:</b> Crude oil can be recovered from tar sands, which are a combination of clay, sand, water, and bitumen.   | 13.2               |
|   |   | <b>ENG-3.C.6:</b> Fossil fuels can be made into specific fuel types for specialized uses (for example, in motor vehicles).  | 13.2               |
|   |   | <b>ENG-3.C.7:</b> Cogeneration occurs when a fuel source is used to generate both useful heat and electricity.  | 14.2               |

| Торіс   | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|---|---|--|--------------------|
| <b>6.4:</b><br>Distribution of<br>Natural Energy<br>Resources | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences.                                     | <b>ENG-3.D.1:</b> The global distribution of natural energy resources, such as ores, coal, crude oil, and gas, is not uniform and depends on regions' geologic history.  | 13.2–13.4          |
|   | <b>ENG-3.D:</b> Identify where natural energy resources occur   |  |                    |
| <b>6.5:</b><br>Fossil Fuels                                   | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative  | <b>ENG-3.E.1:</b> The combustion of fossil fuels is a chemical reaction between the fuel and oxygen that yields carbon dioxide and water and releases energy.  | 13.4               |
|   | consequences.<br>ENG-3.E: Describe the use and<br>methods of fossil fuels in power  | <b>ENG-3.E.2:</b> Energy from fossil fuels is produced by burning those fuels to generate heat, which then turns water into steam. That steam turns a turbine, which generates electricity.  | 13.4               |
|   | generation.   | <b>ENG-3.E.3:</b> Humans use a variety of methods to extract fossil fuels from the earth for energy generation.  | 13.2               |
|   | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences.                                     | <b>ENG-3.F.1:</b> Hydrologic fracturing (fracking) can cause groundwater contamination and the release of volatile organic compounds.  | 13.2               |
|   | <b>ENG-3.F:</b> Describe the effects of fossil fuels on the environment.  |  |                    |
| <b>6.6:</b><br>Nuclear Power                                  | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences.<br><b>ENG-3.G:</b> Describe the use | <b>ENG-3.G.1:</b> Nuclear power is generated through fission, where atoms of Uranium-235, which are stored in fuel rods, are split into smaller parts after being struck by a neutron. Nuclear fission releases a large amount of heat, which is used to generate steam, which powers a turbine and generates electricity. | 13.5               |
|   | of nuclear energy in power generation.  | <b>ENG-3.G.2:</b> Radioactivity occurs when the nucleus of a radioactive isotope loses energy by emitting radiation.   | No reference       |
|   |   | <b>ENG-3.G.3:</b> Uranium-235 remains radioactive for a long time, which leads to the problems associated with the disposal of nuclear waste.  | 13.5               |
|   |   | <b>ENG-3.G.4:</b> Nuclear power generation is a nonre-<br>newable energy source. Nuclear power is considered<br>a cleaner energy source because it does not produce<br>air pollutants, but it does release thermal pollution<br>and hazardous solid waste.   | 13.5               |

| Торіс                                 | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s) |
|---------------------------------------|--|---|--------------------|
|                                       | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences.  | <b>ENG-3.H.1:</b> Three Mile Island, Chernobyl, and Fukushima are three cases where accidents or natural disasters led to the release of radiation. These releases have had short- and long-term impacts on the environment.  | 13.5               |
|                                       | <b>ENG-3.H:</b> Describe the effects of the use of nuclear energy on the environment.  | <b>ENG-3.H.2:</b> A radioactive element's half-life can be used to calculate a variety of things, including the rate of decay and the radioactivity level at specific points in time.   | 13.5               |
| <b>6.7:</b><br>Energy from<br>Biomass | <ul> <li>ENG-3: Humans generate<br/>energy from a variety of sources,<br/>resulting in positive and negative<br/>consequences.</li> <li>ENG-3.I: Describe the effects of the<br/>use of biomass in power generation<br/>on the environment.</li> </ul> | <b>ENG-3.I.1:</b> Burning of biomass produces heat for energy at a relatively low cost, but also produces carbon dioxide, carbon monoxide, nitrogen oxides, particulates, and volatile organic compounds. The overharvesting of trees for fuel also causes deforestation. | 14.6               |
|                                       |  | <b>ENG-3.1.2:</b> Ethanol can be used as a substitute for gasoline. Burning ethanol does not introduce additional carbon into the atmosphere via combustion, but the energy return on energy investment for ethanol is low.   | 14.6               |
| <b>6.8:</b><br>Solar Energy           | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences.  | <b>ENG-3.J.1:</b> Photovoltaic solar cells capture light energy from the sun and transform it directly into electrical energy. Their use is limited by the availability of sunlight.  | 14.3               |
|                                       | <b>ENG-3.J:</b> Describe the use of solar energy in power generation.  | <b>ENG-3.J.2:</b> Active solar energy systems use solar energy to heat a liquid through mechanical and electric equipment to collect and store the energy captured from the sun.  | 14.3               |
|                                       |  | <b>ENG-3.J.3:</b> Passive solar energy systems absorb heat directly from the sun without the use of mechanical and electric equipment, and energy cannot be collected or stored.  | 14.3               |
|                                       | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences.  | <b>ENG-3.K.1:</b> Solar energy systems have low environ-<br>mental impact and produce clean energy, but they<br>can be expensive. Large solar energy farms may<br>negatively impact desert ecosystems.  | 14.3               |
|                                       | <b>ENG-3.K:</b> Describe the effects of the use of solar energy in power generation on the environment.  |   |                    |

| Торіс                                  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
| <b>6.9:</b><br>Hydroelectric<br>Power  | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences. | <b>ENG-3.L.1:</b> Hydroelectric power can be generated in several ways. Dams built across rivers collect water in reservoirs. The moving water can be used to spin a turbine. Turbines can also be placed in small rivers, where the flowing water spins the turbine.        | 14.7               |
|  | <b>ENG-3.L:</b> Describe the use of hydroelectricity in power generation.   | <b>ENG-3.L.2:</b> Tidal energy uses the energy produced by tidal flows to turn a turbine.  | 14.7               |
|  | <b>ENG-3:</b> Humans generate energy from a variety of sources, resulting in positive and negative consequences.          | <b>ENG-3.M.1:</b> Hydroelectric power does not generate air pollution or waste, but construction of the power plants can be expensive, and there may be a loss of or change in habitats following the construction   | 14.7               |
|  | <b>ENG-3.M:</b> Describe the effects of the use of hydroelectricity in power generation on the environment.               | of dams.   |                    |
| <b>6.10:</b><br>Geothermal<br>Energy   | <b>ENG-3:</b> Humans generate energy from a variety of sources, resulting in positive and negative consequences.          | <b>ENG-3.N.1:</b> Geothermal energy is obtained by using the heat stored in the Earth's interior to heat up water, which is brought back to the surface as steam. The steam is used to drive an electric generator.  | 14.5               |
|  | <b>ENG-3.N:</b> Describe the use of geothermal energy in power generation.  |  |                    |
|  | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences. | <b>ENG-3.O.1:</b> The cost of accessing geothermal energy can be prohibitively expensive, as is not easily accessible in many parts of the world. In addition, it can cause the release of hydrogen sulfide.   | 14.5               |
|  | <b>ENG-3.0:</b> Describe the effects of the use of geothermal energy in power generation on the environment.              |  |                    |
| <b>6.11:</b><br>Hydrogen Fuel<br>Cells | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences. | <b>ENG-3.P.1:</b> Hydrogen fuel cells are an alternate to non-renewable fuel sources. They use hydrogen as fuel, combining the hydrogen and oxygen in the air to form water and release energy (electricity) in the process. Water is the product (emission) of a fuel cell. | 14.8               |
|  | <b>ENG-3.P:</b> Describe the use of hydrogen in power generation.   |  |                    |
|  | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences. | <b>ENG-3.Q.1:</b> Hydrogen fuel cells have low environ-<br>mental impact and produce no carbon dioxide when<br>the hydrogen is produced from water. However, the<br>technology is expensive and energy is still needed to<br>create the hydrogen gas used in the fuel cell.  | 14.8               |
|  | <b>ENG-3.Q:</b> Describe the effects of the use of hydrogen in power generation on the environment.                       |  |                    |

| Торіс                                  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge   | Text<br>Section(s) |
|--|---|---|--------------------|
| 6.12:<br>Wind Energy                   | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences. | <b>ENG-3.R.1:</b> Wind turbines use the kinetic energy of moving air to spin a turbine, which in turn converts the mechanical energy of the turbine into electricity.   | 14.4               |
|  | <b>ENG-3.R:</b> Describe the use of wind energy in power generation.  |   |                    |
|  | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences. | <b>ENG-3.S.1:</b> Wind energy is a renewable, clean source of energy. However, birds and bats may be killed if they fly into the spinning turbine blades.   | 14.4               |
|  | <b>ENG-3.S:</b> Describe the effects of the use of wind energy in power generation on the environment.                    |   |                    |
| <b>6.13:</b><br>Energy<br>Conservation | <b>ENG-3:</b> Humans generate<br>energy from a variety of sources,<br>resulting in positive and negative<br>consequences. | <b>ENG-3.T.1:</b> Some of the methods for conserving energy around a home include adjusting the thermostat to reduce the use of heat and air conditioning, conserving water, use of energy-efficient appliances, and conservation landscaping.          | 14.9               |
|  | <b>ENG-3.T:</b> Describe methods for conserving energy.   | <b>ENG-3.T.2:</b> Methods for conserving energy on a large scale include improving fuel economy for vehicles, using BEVs (battery electric vehicles) and hybrid vehicles, using public transportation, and implementing green building design features. | 14.9               |

### **Unit 7: Atmospheric Pollution**

Big Idea 4: (STB) Sustainability

| Торіс   | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|---|---|--|--------------------|
| <b>7.1:</b><br>Introduction to<br>Air Pollution | <b>STB-2:</b> Human activities have physical, chemical, and biological consequences for the atmosphere. | <b>STB-2.A.1:</b> Coal combustion releases air pollutants including carbon dioxide, sulfur dioxide, toxic metals, and particulates.  | 15.1               |
|   | <b>STB-2.A:</b> Identify the sources and effects of air pollutants.                                     | <b>STB-2.A.2:</b> The combustion of fossil fuels release nitrogen oxides into the atmosphere. They lead to the production of ozone, formation of photochemical smog, and convert to nitric acid in the atmosphere, causing acid rain. Other pollutants produced by fossil fuel combustion include carbon monoxide, hydrocarbons, and particulate matter. | 15.1               |
|   |   | <b>STB-2.A.3:</b> Air quality can be affected through the release of sulfur dioxide during the burning of fossil fuels, mainly diesel fuels.   | 15.1               |

| Торіс   | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge   | Text<br>Section(s) |
|---|---|---|--------------------|
|   |   | <b>STB-2.A.4:</b> Through the Clean Air Act, the Environmental Protection Agency (EPA) regulated the use of lead, particularly in fuels, which dramatically decreased the amount of lead in the atmosphere.         | 15.5               |
|   |   | <b>STB-2.A.5:</b> Air pollutants can be primary or second-<br>ary pollutants.   | 15.1               |
| <b>7.2:</b><br>Photochemical<br>Smog              | <b>STB-2:</b> Human activities have physical, chemical, and biological consequences for the atmosphere. | <b>STB-2.B.1:</b> Photochemical smog is formed when nitrogen oxides and volatile organic hydrocarbons react with heat and sunlight to produce a variety of pollutants.  | 15.1               |
|   | <b>STB-2.B:</b> Explain the causes and effects of photochemical smog and                                | <b>STB-2.B.2:</b> Many environmental factors affect the formation of photochemical smog.  | 15.1               |
|   | methods to reduce it  | <b>STB-2.B.3:</b> Nitrogen oxide is produced early in the day. Ozone concentrations peak in the afternoon and are higher in the summer because ozone is produced by chemical reactions between oxygen and sunlight. | 15.1               |
|   |   | <b>STB-2.B.4:</b> Volatile Organic Compounds (VOCs), such as formaldehyde and gasoline, evaporate or sublimate at room temperature. Trees are a natural source of VOCs.   | 15.1               |
|   |   | <b>STB-2.B.5:</b> Photochemical smog often forms in urban areas because of the large number of motor vehicles there.  | 15.1               |
|   |   | <b>STB-2.B.6:</b> Photochemical smog can be reduced through the reduction of nitrogen oxide and VOCs.   | No reference       |
|   |   | <b>STB-2.B.7:</b> Photochemical smog can harm human health in several ways, including causing respiratory problems and eye irritation.  | 15.1               |
| <b>7.3:</b><br>Thermal<br>Inversion               | <b>STB-2:</b> Human activities have physical, chemical, and biological consequences for the atmosphere. | <b>STB-2.C.1:</b> During a thermal inversion, the normal temperature gradient in the atmosphere is altered as the air temperature at the Earth's surface is cooler than the air at higher altitudes.                | 15.1               |
|   | <b>STB-2.C:</b> Describe thermal inversion and its relationship with pollution.                         | <b>STB-2.C.2:</b> Thermal inversion traps pollution close to the ground, especially smog and particulates.  | 15.1               |
| <b>7.4:</b><br>Atmospheric<br>CO <sub>2</sub> and | <b>STB-2:</b> Human activities have physical, chemical, and biological consequences for the atmosphere. | <b>STB-2.D.1:</b> CO <sub>2</sub> appears naturally in the atmosphere from sources such as respiration, decomposition, and volcanic eruptions.  | 15.1               |
| Particulates                                      | <b>STB-2.D:</b> Describe natural sources of CO <sub>2</sub> and particulates.                           | <b>STB-2.D.2:</b> There are a variety of natural sources of particulate matter.   | 15.1               |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
| <b>7.5:</b><br>Indoor Air                    | <b>STB-2:</b> Human activities have physical, chemical, and biological                                  | <b>STB-2.E.1:</b> Carbon monoxide is an indoor air pollut-<br>ant that is classified as an asphyxiant.   | 15.3               |
| Pollutants                                   | consequences for the atmosphere.  | <b>STB-2.E.2:</b> Indoor air pollutants that are classified as particulates include asbestos, dust, and smoke.   | 15.3               |
|  | <b>STB-2.E:</b> Identify indoor air pollutants.   | <b>STB-2.E.3:</b> Indoor air pollutants can come from natural sources, man-made sources, and combustion.   | 15.3               |
|  |   | <b>STB-2.E.4:</b> Common natural source indoor air pollutants include radon, mold, and dust.   | 15.3               |
|  |   | <b>STB-2.E.5:</b> Common man-made indoor air pollutants include insulation, Volatile Organic Compounds (VOCs) from furniture, paneling and carpets; formal-dehyde from building materials, furniture, upholstery, and carpeting; and lead from paints. | 15.3               |
|  |   | <b>STB-2.E.6:</b> Common combustion air pollutants include carbon monoxide, nitrogen oxides, sulfur dioxide, particulates, and tobacco smoke.  | 15.3               |
|  |   | <b>STB-2.E.7:</b> Radon-222 is a naturally occurring radioactive gas that is produced by the decay of uranium found in some rocks and soils.   | 15.3               |
|  | <b>STB-2:</b> Human activities have physical, chemical, and biological consequences for the atmosphere. | <b>STB-2.F.1:</b> Radon gas can infiltrate homes as it moves up through the soil and enters homes via the basement or cracks in the walls or foundation. It is also dissolved in groundwater that enters homes through a well.                         | 15.3               |
|  | <b>STB-2.F:</b> Describe the effects of indoor air pollutants.  | <b>STB-2.F.2:</b> Exposure to radon gas can lead to radon-<br>induced lung cancer, which is the second leading<br>cause of lung cancer in America.   | 15.3               |
| <b>7.6:</b><br>Reduction of<br>Air Pollution | <b>STB-2:</b> Human activities have physical, chemical, and biological consequences for the atmosphere. | <b>STB-2.G.1:</b> Methods to reduce air pollutants include regulatory practices, conservation practices, and alternative fuels.  | 15.5               |
|  | <b>STB-2.G:</b> Explain how air pollutants can be reduced at the source.                                | <b>STB-2.G.2:</b> A vapor recovery nozzle is an air pollution control device on a gasoline pump that prevents fumes from escaping into the atmosphere when fueling a motor vehicle.  | No reference       |
|  |   | <b>STB-2.G.3:</b> A catalytic converter is an air pollution control device for internal combustion engines that converts pollutants (CO, NOx, and hydrocarbons) in exhaust into less harmful molecules ( $CO_2$ , $N_2$ , $O_2$ , and $H_2O$ ).        | 15.5               |
|  |   | <b>STB-2.G.4:</b> Wet and dry scrubbers are air pollution control devices that remove particulates and/or gases from industrial exhaust streams.   | 15.5               |
|  |   | <b>STB-2.G.5:</b> Methods to reduce air pollution from coal-burning power plants include scrubbers and electrostatic precipitators.  | 15.5               |

| Торіс                          | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--------------------------------|---|--|--------------------|
| <b>7.7:</b><br>Acid Rain       | <b>STB-2:</b> Human activities have physical, chemical, and biological consequences for the atmosphere. | <b>STB-2.H.1:</b> Acid rain and deposition is due to nitrogen oxides and sulfur oxides from anthropogenic and natural sources in the atmosphere.   | 15.2               |
|                                | <b>STB-2.H:</b> Describe acid deposition.   | <b>STB-2.H.2:</b> Nitric oxides that cause acid deposition come from motor vehicles and coal-burning power plants. Sulfur dioxides that cause acid deposition come from coal-burning power plants.                 | 15.2               |
|                                | <b>STB-2:</b> Human activities have physical, chemical, and biological consequences for the atmosphere. | <b>STB-2.I.1:</b> Acid deposition mainly affects communities that are downwind from coal-burning power plants.   | 15.2               |
|                                | <b>STB-2.I:</b> Describe the effects of acid deposition on the environment.                             | <b>STB-2.I.2:</b> Acid rain and deposition can lead to the acidification of soils and bodies of water and corrosion of man-made structures.  | 15.2               |
|                                |   | <b>STB-2.I.3:</b> Regional differences in soils and bedrock affect the impact that acid deposition has on the region—such as limestone bedrock's ability to neutralize the effect of acid rain on lakes and ponds. | No reference       |
| <b>7.8:</b><br>Noise Pollution | <b>STB-2:</b> Human activities have physical, chemical, and biological consequences for the atmosphere. | <b>STB-2.J.1:</b> Noise pollution is sound at levels high enough to cause physiological stress and hearing loss.   | No reference       |
|                                | <b>STB-2.J:</b> Describe human activities that result in noise pollution and its                        | <b>STB-2.J.2:</b> Sources of noise pollution in urban areas include transportation, construction, and domestic and industrial activity.  | 12.9               |
|                                | effects.  | <b>STB-2.J.3:</b> Some effects of noise pollution on animals in ecological systems include stress, the masking of sounds used to communicate or hunt, damaged hearing, and causing changes to migratory routes.    | No reference       |

### Unit 8: Aquatic and Terrestrial Pollution

Big Idea 3: (EIN) Interactions between Different Species and the Environment; Big Idea 4: (STB) Sustainability

| Торіс                                  | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge  | Text<br>Section(s) |
|--|--|--|--------------------|
| <b>8.1:</b><br>Sources of<br>Pollution | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological conse-         | <b>STB-3.A.1:</b> A point source refers to a single, identifiable source of a pollutant, such as a smokestack or waste discharge pipe.               | 16.1               |
|  | quences for ecosystems.<br><b>STB-3.A:</b> Identify differences<br>between point and nonpoint<br>sources of pollution. | <b>STB-3.A.2:</b> Nonpoint sources of pollution are diffused and can therefore be difficult to identify, such as pesticide spraying or urban runoff. | 16.1               |

| Торіс                                  | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge  | Text<br>Section(s)  |
|--|--|--|---|
| 8.2:<br>Human Impacts<br>on Ecosystems | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological consequences for ecosystems.<br><b>STB-3.B:</b> Describe the impacts | <b>STB-3.B.1:</b> Organisms have a range of tolerance<br>for various pollutants. Organisms have an optimum<br>range for each factor where they can maintain<br>homeostasis. Outside of this range, organisms may<br>experience physiological stress, limited growth,<br>reduced reproduction, and in extreme cases, death. | 7.2   |
|  | of human activities on aquatic<br>ecosystems.  | <b>STB-3.B.2:</b> Coral reefs have been suffering damage due to a variety of factors, including increasing ocean temperature, sediment runoff, and destructive fishing practices.  | Core Case<br>Study: Why<br>Should We<br>Care about<br>Coral Reefs?,<br>4.2  |
|  |  | <b>STB-3.B.3:</b> Oil spills in marine waters cause organ-<br>isms to die from the hydrocarbons in oil. Oil that<br>floats on the surface of water can coat the feathers<br>of birds and fur of marine mammals. Some com-<br>ponents of oil sink to the ocean floor, killing some<br>bottom-dwelling organisms.            | 16.4  |
|  |  | <b>STB-3.B.4:</b> Oil that washes up on the beach can have economic consequences on the fishing and tourism industries.  | 16.4  |
|  |  | <b>STB-3.B.5:</b> Oceanic dead zones are areas of low oxygen in the world's oceans caused by increased nutrient pollution.   | 16.2, Core<br>Case Study:<br>The Gulf<br>of Mexico's<br>Annual Dead<br>Zone |
|  |  | <b>STB-3.B.6:</b> An oxygen sag curve is a plot of dissolved oxygen levels versus the distance from a source of pollution, usually excess nutrients and biological refuse.   | 16.2  |
|  |  | <b>STB-3.B.7:</b> Heavy metals used for industry, especially mining and burning of fossil fuels, can reach the groundwater, impacting the drinking water supply.   | 16.3  |
|  |  | <b>STB-3.B.8:</b> Litter that reaches aquatic ecosystems, besides being unsightly, can create intestinal blockage and choking hazards for wildlife and introduce toxic substances to the food chain.   | 16.4  |
|  |  | <b>STB-3.B.9:</b> Increased sediment in waterways can reduce light infiltration, which can affect primary producers and visual predators. Sediment can also settle, disrupting habitats.   | 16.1  |
|  |  | <b>STB-3.B.10:</b> When elemental sources of mercury enter aquatic environments, bacteria in the water convert it to highly toxic methylmercury.   | 16.1  |

| Торіс                                  | Enduring Understanding<br>and Learning Objective(s)   | Essential Knowledge  | Text<br>Section(s) |
|--|---|--|--------------------|
| <b>8.3:</b><br>Endocrine<br>Disruptors | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological consequences for ecosystems.  | <b>STB-3.C.1:</b> Endocrine disruptors are chemicals that can interfere with the endocrine system of animals.  | 18.3               |
|  | <b>STB-3.C:</b> Describe endocrine disruptors.  |  |                    |
|  | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological consequences for ecosystems.  | <b>STB-3.D.1:</b> Endocrine disruptors can lead to birth defects, developmental disorders, and gender imbalances in fish and other species.  | 18.3               |
|  | <b>STB-3.D:</b> Describe the effects of endocrine disruptors on ecosystems.   |  |                    |
| <b>8.4:</b><br>Human Impacts           | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological conse-  | <b>STB-3.E.1:</b> Wetlands are areas where water covers the soil, either part or all of the time.  | 4.4                |
| on Wetlands<br>and Mangroves           |   | <b>STB-3.E.2:</b> Wetlands provide a variety of ecological services, including water purification, flood protection, water filtration, and habitat.  | 4.4                |
|  |   | <b>STB-3.E.3:</b> Threats to wetlands and mangroves include commercial development, dam construction, overfishing, and pollutants from agriculture and industrial waste.   | 16.7               |
| <b>8.5:</b><br>Eutrophication          | <ul> <li>STB-3: Human activities, including the use of resources, have physical, chemical, and biological consequences for ecosystems.</li> <li>STB-3.F: Explain the environmental effects of excessive use of fertilizers and detergents on aquatic ecosystems.</li> </ul> | <b>STB-3.F.1:</b> Eutrophication occurs when a body of water is enriched in nutrients.   | 16.2               |
|  |   | <b>STB-3.F.2:</b> The increase in nutrients in eutrophic aquatic environments causes an algal bloom. When the algal bloom dies, microbes digest the algae, along with the oxygen in the water, leading to a decrease in the dissolved oxygen levels in the water. The lack of dissolved oxygen can result in large die-offs of fish and other aquatic organisms. | 16.2               |
|  |   | <b>STB-3.F.3:</b> Hypoxic waterways are those bodies of water that are low in dissolved oxygen.  | 16.2               |
|  |   | <b>STB-3.F.4:</b> Compared to eutrophic waterways, oligotrophic waterways have very low amounts of nutrients, stable algae populations, and high dissolved oxygen.   | 16.2               |
|  |   | <b>STB-3.F.5:</b> Anthropogenic causes of eutrophication are agricultural runoff and wastewater release.   | 16.2               |

| Торіс   | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s)                                      |
|---|--|---|---|
| <b>8.6:</b><br>Thermal<br>Pollution                         | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological conse-                       | <b>STB-3.G.1:</b> Thermal pollution occurs when heat released into the water produces negative effects to the organisms in that ecosystem.  | 16.1  |
|   | quences for ecosystems.<br><b>STB-3.G:</b> Describe the effects<br>of thermal pollution on aquatic<br>ecosystems.                    | <b>STB-3.G.2:</b> Variations in water temperature affect the concentration of dissolved oxygen because warm water does not contain as much oxygen as cold water.  | No reference  |
| <b>8.7:</b><br>Persistent<br>Organic Pollut-<br>ants (POPs) | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological consequences for ecosystems. | <b>STB-3.H.1:</b> Persistent organic pollutants (POPs) do not easily break down in the environment because they are synthetic, carbon-based molecules (such as DDT and PCBs).   | 17.6  |
|   | <b>STB-3.H:</b> Describe the effect of persistent organic pollutants (POPs) on ecosystems.   | <b>STB-3.H.2:</b> Persistent organic pollutants (POPs) can be toxic to organisms because they are soluble in fat, which allows them to be accumulate in organisms' fatty tissues.   | 17.6  |
|   |  | <b>STB-3.H.3:</b> Persistent organic pollutants (POPs) can travel over long distances via wind and water before being redeposited.  | 17.6  |
| <b>8.8:</b><br>Bioaccumula-<br>tion and<br>Biomagnification | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological consequences for ecosystems. | <b>STB-3.I.1:</b> Bioaccumulation is the selective absorption and concentration of elements or compounds by cells in a living organism, most commonly fat-soluble compounds.  | 19.3  |
|   | <b>STB-3.I:</b> Describe bioaccumulation and biomagnification.   | <b>STB-3.1.2:</b> Biomagnification is the increase in concentration of substances per unit of body tissue that occurs in successively higher trophic levels of a food chain or in a food web.                                     | 19.3  |
|   | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological consequences for ecosystems. | <b>STB-3.J.1:</b> Some effects that can occur in an ecosystem when a persistent substance is biomagnified in a food chain include eggshell thinning and developmental deformities in top carnivores of the higher trophic levels. | 19.3  |
|   | <b>STB-3.J:</b> Describe the effects of bio-<br>accumulation and biomagnification.   | <b>STB-3.J.2:</b> Humans also experience harmful effects from biomagnification, including issues with the reproductive, nervous, and circulatory systems.   | 18.3  |
|   |  | <b>STB-3.J.3:</b> DDT, mercury, and PCBs are substances that bioaccumulate and have significant environmental impacts.  | 18.3, Core<br>Case Study:<br>Mercury's<br>Toxic Effects |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s) |
|--|--|---|--------------------|
| <b>8.9:</b><br>Solid Waste<br>Disposal       | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological conse-   | <b>STB-3.K.2:</b> Solid waste is most often disposed of in landfills. Landfills can contaminate groundwater and release harmful gases.  | 17.1               |
|  | quences for ecosystems.<br><b>STB-3.K:</b> Describe solid waste  | <b>STB-3.K.2:</b> Solid waste is most often disposed of in landfills. Landfills can contaminate groundwater and release harmful gases.  | 17.4               |
|  | disposal methods.  | <b>STB-3.K.3:</b> Electronic waste, or e-waste, is composed of discarded electronic devices including televisions, cell phones, and computers.  | 17.1               |
|  |  | <b>STB-3.K.4:</b> A sanitary municipal landfill consists of a bottom liner (plastic or clay), a storm water collection system, a leachate collection system, a cap, and a methane collection system.  | 17.4               |
|  | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological conse-   | <b>STB-3.L.1:</b> Factors in landfill decomposition include the composition of the trash and conditions needed for microbial decomposition of the waste.  | 17.4               |
|  | quences for ecosystems.<br><b>STB-3.L:</b> Describe the effects of solid waste disposal methods.   | <b>STB-3.L.2:</b> Solid waste can also be disposed of through incineration, where waste is burned at high temperatures. This method significantly reduces the volume of solid waste, but releases air pollutants.   | 17.4               |
|  |  | <b>STB-3.L.3:</b> Some items are not accepted in sanitary landfills and may be disposed of illegally, leading to environmental problems. One example is used rubber tires, which when left in piles can become breeding grounds for mosquitoes that can spread disease.           | 17.4               |
|  |  | <b>STB-3.L.4:</b> Some countries dispose of their waste by dumping it in the ocean. This practice, along with other sources of plastic, has led to large floating islands of trash in the oceans. Additionally, wildlife can become entangled in the waste, as well as ingest it. | 17.1               |
| <b>8.10:</b><br>Waste Reduc-<br>tion Methods | <ul> <li>STB-3: Human activities, including the use of resources, have physical, chemical, and biological consequences for ecosystems.</li> <li>STB-3.M: Describe changes to current practices that could reduce the amount of generated waste and their associated benefits and drawbacks.</li> </ul> | <b>STB-3.M.1:</b> Recycling is a process by which certain solid waste materials are processed and converted into new products.  | 17.2               |
|  |  | <b>STB-3.M.2:</b> Recycling is one way to reduce the current global demand on minerals, but this process is energy-intensive and can be costly.   | 17.2               |
|  |  | <b>STB-3.M.3:</b> Composting is the process of organic matter such as food scraps, paper, and yard waste decomposing. The product of this decomposition can be used as fertilizer. Drawbacks to composting include odor and rodents.  | 17.2               |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s) |
|--|--|---|--------------------|
|  |  | <b>STB-3.M.4:</b> E-waste can be reduced by recycling and reuse. E-wastes may contain hazardous chemicals, including heavy metals such as lead and mercury, which can leach from landfills into groundwater if they are not disposed of properly.   | 17.5               |
|  |  | <b>STB-3.M.5:</b> Landfill mitigation strategies range from burning waste for energy to restoring habitat on former landfills for use as parks.   | No reference       |
|  |  | <b>STB-3.M.6:</b> The combustion of gases produced from decomposition of organic material in landfills can be used to turn turbines and generate electricity. This process reduces landfill volume.   | 17.4               |
| <b>8.11:</b><br>Sewage<br>Treatment                    | <b>STB-3:</b> Human activities, including the use of resources, have physical, chemical, and biological consequences for ecosystems. | <b>STB-3.N.1:</b> Primary treatment of sewage is the physical removal of large objects, often through the use of screens and grates, followed by the settling of solid waste in the bottom of a tank.   | 16.5               |
|  | <b>STB-3.N:</b> Describe best practices in sewage treatment.   | <b>STB-3.N.2:</b> Secondary treatment is a biological process in which bacteria break down organic matter into carbon dioxide and inorganic sludge, which settles in the bottom of a tank. The tank is aerated to increase the rate at which the bacteria breaks down the organic matter. | 16.5               |
|  |  | <b>STB-3.N.3:</b> Tertiary treatment is the use of ecological or chemical processes to remove any pollutants left in the water after primary and secondary treatment.   | 16.5               |
|  |  | <b>STB-3.N.4:</b> Prior to discharge, the treated water is exposed to one or more disinfectants (usually, chlorine, ozone, or UV light) to kill bacteria.   | 16.5               |
| <b>8.12:</b><br>Lethal Dose<br>50% (LD <sub>50</sub> ) | <b>EIN-3:</b> Pollutants can have both direct and indirect impacts on the health of organisms, including humans.                     | <b>EIN-3.A.1:</b> Lethal dose 50% ( $LD_{50}$ ) is the dose of a chemical that is lethal to 50% of the population of a particular species.  | 18.4               |
|  | <b>EIN-3.A:</b> Define lethal dose 50% (LD <sub>50</sub> ).  |   |                    |
| 8.13:<br>Dose Response<br>Curve                        | <b>EIN-3:</b> Pollutants can have both direct and indirect impacts on the health of organisms, including humans.                     | <b>EIN-3.B.1:</b> A dose response curve describes<br>the effect on an organism or mortality rate in a<br>population based on the dose of a particular toxin<br>or drug.   | 18.4               |
|  | <b>EIN-3.B:</b> Evaluate dose response curves.   |   |                    |

| Торіс   | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge  | Text<br>Section(s) |
|---|--|--|--------------------|
| <b>8.14:</b><br>Pollution and<br>Human Health | <b>EIN-3:</b> Pollutants can have both direct and indirect impacts on the health of organisms, including humans. | <b>EIN-3.C.1:</b> It can be difficult to establish a cause and effect between pollutants and human health issues because humans experience exposure to a variety of chemicals and pollutants.  | 18.4               |
|   | EIN-3.C: Identify sources of human   | <b>EIN-3.C.2:</b> Dysentery is caused by untreated sewage in streams and rivers.   | No reference       |
|   | health issues that are linked to pollution.  | <b>EIN-3.C.3:</b> Mesothelioma is a type of cancer caused mainly by exposure to asbestos.  | 15.3               |
|   |  | <b>EIN-3.C.4:</b> Respiratory problems and overall lung function can be impacted by elevated levels of tropospheric ozone.   | 15.1               |
| <b>8.15:</b><br>Pathogens<br>and Infectious   | <b>EIN-3:</b> Pollutants can have both direct and indirect impacts on the health of organisms, including         | <b>EIN-3.D.1:</b> Pathogens adapt to take advantage of new opportunities to infect and spread through human populations.   | 18.1               |
| Diseases                                      | <b>EIN-3.D:</b> Explain human pathogens and their cycling through the environment.                               | <b>EIN-3.D.2:</b> Specific pathogens can occur in many environments regardless of the appearance of sanitary conditions.   | 18.1               |
|   |  | <b>EIN-3.D.3:</b> As equatorial-type climate zones spread north and south in to what are currently sub-tropical and temperate climate zones, pathogens, infectious diseases, and any associated vectors are spreading into these areas where the disease has not previously been known to occur. | 18.1               |
|   |  | <b>EIN-3.D.4:</b> Poverty stricken, low-income areas often lack sanitary waste disposal and have contaminated drinking water supplies, leading to havens and opportunities for the spread of infectious diseases.  | 18.1               |
|   |  | <b>EIN-3.D.5:</b> Plague is a disease carried by organisms infected with the plague bacteria. It is transferred to humans via the bite of an infected organism or through contact with contaminated fluids or tissues.   | 18.1               |
|   |  | <b>EIN-3.D.6:</b> Tuberculosis is a bacterial infection that typically attacks the lungs. It is spread by breathing in the bacteria from the bodily fluids of an infected person.  | 18.1               |
|   |  | <b>EIN-3.D.7:</b> Malaria is a parasitic disease caused by bites from infected mosquitos. It is most often found in Sub-Saharan Africa.  | 18.1               |
|   |  | <b>EIN-3.D.8:</b> West Nile virus is transmitted to humans via bites from infected mosquitos.  | 18.1               |

| Торіс | Enduring Understanding<br>and Learning Objective(s) | Essential Knowledge   | Text<br>Section(s) |
|-------|---|---|--------------------|
|       |   | <b>EIN-3.D.9:</b> Severe acute respiratory syndrome (SARS) is a form of pneumonia. It is transferred by inhaling or touching infected fluids. | No reference       |
|       |   | <b>EIN-3.D.10:</b> Middle East Respiratory Syndrome (MERS) is a viral respiratory illness that is transferred from animals to humans.         | No reference       |
|       |   | <b>EIN-3.D.11:</b> Zika is a virus caused by bites from infected mosquitos. It can be transmitted through sexual contact.                     | No reference       |
|       |   | <b>EIN-3.D.12:</b> Cholera is a bacterial disease that is contracted from infected water.   | No reference       |

# Unit 9: Global Change

Big Idea 3: (EIN) Interactions between Different Species and the Environment; Big Idea 4: (STB) Sustainability

| Торіс  | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge  | Text<br>Section(s) |
|--|--|--|--------------------|
| <b>9.1:</b><br>Stratospheric<br>Ozone<br>Depletion | <b>STB-4:</b> Local and regional human activities can have impacts at the global level.  | <b>STB-4.A.1:</b> The stratospheric ozone layer is important to the evolution of life on Earth and the continued health and survival of life on Earth.   | 8.6                |
|  | <b>STB-4.A:</b> Explain the importance of stratospheric ozone to life on Earth.  | <b>STB-4.A.2:</b> Stratospheric ozone depletion is caused by anthropogenic factors, such as chlorofluorocarbons (CFCs), and natural factors, such as the melting of ice crystals in the atmosphere at the beginning of the Antarctic spring. | 20.1               |
|  |  | <b>STB-4.A.3:</b> A decrease in stratospheric ozone increases the UV rays that reach the Earth's surface. Exposure to UV rays can lead to skin cancer and cataracts in humans.   | 20.1               |
| <b>9.2:</b><br>Reducing<br>Ozone<br>Depletion      | <ul> <li>STB-4: Local and regional human activities can have impacts at the global level.</li> <li>STB-4.B: Describe chemicals used to substitute for chlorofluorocarbons (CFCs).</li> </ul> | <b>STB-4.B.1:</b> Ozone depletion can be mitigated by replacing ozone-depleting chemicals with substitutes that do not deplete the ozone layer. Hydrofluorocarbons (HFCs) are one such replacement, but some are strong greenhouse gases.    | 20.1               |
| <b>9.3:</b><br>The Green-<br>house Effect          | <b>STB-4:</b> Local and regional human activities can have impacts at the global level.  | <b>STB-4.C.1:</b> The principal greenhouse gases are carbon dioxide, methane, water vapor, nitrous oxide, and chlorofluorocarbons (CFCs).  | 20.2               |

| Торіс  | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge   | Text<br>Section(s) |
|--|--|---|--------------------|
|  | <b>STB-4.C:</b> Identify the greenhouse gases.   | <b>STB-4.C.2:</b> While water vapor is a greenhouse gas, it doesn't contribute significantly to global climate change because it has a short residence time in the atmosphere.  | No reference       |
|  |  | <b>STB-4.C.3:</b> The Greenhouse Effect results in the surface temperature necessary for life on Earth to exist.  | 20.2               |
|  | <ul> <li>STB-4: Local and regional human activities can have impacts at the global level.</li> <li>STB-4.D: Identify the sources and potency of the greenhouse gases.</li> </ul>   | <b>STB-4.D.1:</b> Carbon dioxide, which has a global warming potential (GWP) of 1, is used as a reference point for the comparison of different greenhouse gases and their impacts on global climate change. Chlorofluorocarbons (CFCs) have the highest GWP, followed by nitrous oxide, then methane.  | 20.2               |
| <b>9.4:</b><br>Increases in the<br>Greenhouse<br>Gases | <ul> <li>STB-4: Local and regional human activities can have impacts at the global level.</li> <li>STB-4.E: Identify the threats to human health and the environment posed by an increase in greenhouse gases</li> </ul> | <b>STB-4.E.1:</b> Global climate change, caused by excess greenhouse gases in the atmosphere, can lead to a variety of environmental problems including rising sea levels resulting from melting ice sheets and ocean water expansion, and disease vectors spreading from the tropics toward the poles. These problems can lead to changes in population dynamics and population movements in response. | 20.3               |
| <b>9.5:</b><br>Global Climate<br>Change                | <b>STB-4:</b> Local and regional human activities can have impacts at the global level.  | <b>STB-4.F.1:</b> The Earth has undergone climate change throughout geologic time, with major shifts in global temperatures causing periods of warming and cooling as recorded with CO <sub>2</sub> data and ice cores.   | 20.2               |
|  | <b>STB-4.F:</b> Explain how changes in climate, both short- and long-term, impact ecosystems.  | <b>STB-4.F.2:</b> Effects of climate change include rising temperatures, melting permafrost and sea ice, rising sea levels, and displacement of coastal populations.  | 20.2               |
|  |  | <b>STB-4.F.3:</b> Marine ecosystems are affected by changes in sea level, some positively, such as in newly created habitats on now-flooded continental shelves, and some negatively, such as deeper communities that may no longer be in the photic zone of seawater.  | 20.2               |
|  |  | <b>STB-4.F.4:</b> Winds generated by atmospheric circulation help transport heat throughout the Earth. Climate change may change circulation patterns, as temperature changes may impact Hadley cells and the jet stream.   | 20.2               |
|  |  | <b>STB-4.F.5:</b> Oceanic currents, or the ocean conveyor belt, carry heat throughout the world. When these currents change, it can have a big impact on global climate, especially in coastal regions.   | No reference       |

| Торіс                                 | Enduring Understanding<br>and Learning Objective(s)                                     | Essential Knowledge   | Text<br>Section(s) |
|---------------------------------------|---|---|--------------------|
|                                       |   | <b>STB-4.F.6:</b> Climate change can affect soil through changes in temperature and rainfall, which can impact soil's viability and potentially increase erosion.   | No reference       |
|                                       |   | <b>STB-4.F.7:</b> Earth's polar regions are showing faster response times to global climate change because ice and snow in these regions reflect the most energy back out to space, leading to a positive feedback loop.            | 20.3               |
|                                       |   | <b>STB-4.F.8:</b> As the Earth warms, this ice and snow melts, meaning less solar energy is radiated back into space and instead is absorbed by the Earth's surface. This in turn causes more warming of the polar regions.         | 20.3               |
|                                       |   | <b>STB-4.F.9:</b> Global climate change response time in the Arctic is due to positive feedback loops involving melting sea ice and thawing tundra, and the subsequent release of greenhouse gases like methane.                    | 20.3               |
|                                       |   | <b>STB-4.F.10:</b> One consequence of the loss of ice and snow in polar regions is the effect on polar bears, who depend on the ice for habitat and seal hunting.   | 20.3               |
| <b>9.6:</b><br>Ocean                  | <b>STB-4:</b> Local and regional human activities can have impacts at the               | <b>STB-4.G.1:</b> Ocean warming is caused by the increase in greenhouse gases in the atmosphere.  | 20.3               |
| Warming                               | global level.<br><b>STB-4.G:</b> Explain the causes and effects of ocean warming.       | <b>STB-4.G.2:</b> Ocean warming can affect marine species in a variety of ways, including loss of habitat, and metabolic and reproductive changes.  | 20.3               |
|                                       |   | <b>STB-4.G.3:</b> Ocean warming is causing coral bleaching, which occurs when the loss of algae within corals cause the corals to bleach white. Some corals recover and some die.   | 20.3               |
| <b>9.7:</b><br>Ocean<br>Acidification | <b>STB-4:</b> Local and regional human activities can have impacts at the global level. | <b>STB-4.H.1:</b> Ocean acidification is the decrease in pH of the oceans, primarily due to increased CO <sub>2</sub> concentrations in the atmosphere, and can be expressed as chemical equations.                                 | 20.3               |
|                                       | <b>STB-4.H:</b> Explain the causes and effects of ocean acidification.                  | <b>STB-4.H.2:</b> As more $CO_2$ is released into the atmosphere, the oceans, which absorb a large part of that $CO_2$ , become more acidic.  | 20.3               |
|                                       |   | <b>STB-4.H.3:</b> Anthropogenic activities that contribute to ocean acidification are those that lead to increased CO <sub>2</sub> concentrations in the atmosphere: burning of fossil fuels, vehicle emissions, and deforestation. | 20.3               |
|                                       |   | <b>STB-4.H.4:</b> Ocean acidification damages coral because acidification makes it difficult for them to form shells, due to the loss of calcium carbonate.   | 20.3               |

| Торіс   | Enduring Understanding<br>and Learning Objective(s)  | Essential Knowledge  | Text<br>Section(s) |
|---|--|--|--------------------|
| 9.8:<br>Invasive Species                          | <b>EIN-4:</b> The health of a species is closely tied to its ecosystem, and minor environmental changes can have a large impact. | <b>EIN-4.A.1:</b> Invasive species are species that can live, and sometimes thrive, outside of their normal habitat. Invasive species can sometimes be beneficial but are considered invasive when they threaten native species.                                       | 19.3               |
|   | <b>EIN-4.A:</b> Explain the environmental problems associated with invasive species and strategies to control them.              | <b>EIN-4.A.2:</b> Invasive species are often generalist,<br><i>r</i> -selected species and therefore may outcompete<br>native species for resources.   | 19.3               |
|   |  | <b>EIN-4.A.3:</b> Invasive species can be controlled through a variety of human interventions.   | 19.3               |
| <b>9.9:</b><br>Endangered<br>Species              | <b>EIN-4:</b> The health of a species is closely tied to its ecosystem, and minor environmental changes can have a large impact. | <b>EIN-4.B.1:</b> A variety of factors can lead to a species becoming threatened with extinction, such as being extensively hunted, having limited diet, being out-competed by invasive species, or having specific and limited habitat requirements.                  | 19.3               |
|   | <b>EIN-4.B:</b> Explain how species become endangered and strategies to combat the problem.                                      | <b>EIN-4.B.2:</b> Not all species will be in danger of extinction when exposed to the same changes in their ecosystem. Species that are able to adapt to changes in their environment or who are able to move to a new environment are less likely to face extinction. | 19.1               |
|   |  | <b>EIN-4.B.3:</b> Selective pressures are any factors that change the behaviors and fitness of organisms within an environment.  | 19.1               |
|   |  | <b>EIN-4.B.4:</b> Species in a given ecosystem compete for resources like territory, food, mates, and habitat, and this competition may lead to endangerment or extinction.  | 19.1               |
|   |  | <b>EIN-4.B.5:</b> Strategies to protect animal populations include criminalizing poaching, protecting animal habitats, and legislation.  | 19.4               |
| <b>9.10:</b><br>Human Impacts<br>and Biodiversity | <b>EIN-4:</b> The health of a species is closely tied to its ecosystem, and minor environmental changes can have a large impact. | <b>EIN-4.C.1:</b> HIPPCO (habitat destruction, invasive species, population growth, pollution, climate change, and over exploitation) describes the main factors leading to a decrease in biodiversity.  | 19.3               |
|   | <b>EIN-4.C:</b> Explain how human activities affect biodiversity and strategies to combat the problem.                           | <b>EIN-4.C.2:</b> Habitat fragmentation occurs when large habitats are broken into smaller, isolated areas. Causes of habitat fragmentation include the construction of roads and pipelines, clearing for agriculture or development, and logging.                     | 19.3               |

| Торіс | Enduring Understanding<br>and Learning Objective(s) | Essential Knowledge  | Text<br>Section(s)  |
|-------|---|--|---|
|       |   | <b>EIN-4.C.3:</b> The scale of habitat fragmentation that has an adverse effect on the inhabitants of a given ecosystem will vary from species to species within that ecosystem.   | 19.3  |
|       |   | <b>EIN-4.C.4:</b> Global climate change can cause habitat loss via changes in temperature, precipitation, and sea level rise.  | 20.1  |
|       |   | <b>EIN-4.C.5:</b> Some organisms have been somewhat or completely domesticated and are now managed for economic returns, such as honeybee colonies and domestic livestock. This domestication can have a negative impact on the biodiversity of that organism. | Core Case<br>Study: Where<br>Have All the<br>Honeybees<br>Gone? |
|       |   | <b>EIN-4.C.6:</b> Some ways humans can mitigate the impact of loss of biodiversity include creating protected areas, use of habitat corridors, promoting sustainable land use practices, and restoring lost habitats.  | 19.4  |